




**WOODEN**  
SERIES


200 X 1200 MM

# INSPIRE BY *Nature*



## EXCELLENT SIZE

The elongated 200x1200 size provides a modern aesthetic, lending a sense of expansiveness and luxury to any living spaces. Its unique dimension creates a statement, differentiating it from common tiles and providing a more seamless look with fewer grout lines.



# FLAWLESS

## APPLICATION

---



Chemical  
Resistant



Dimensional  
Stability



UV & Heat  
Resistant



Scratch  
Resistant



Hygienic  
Surface



Frost  
Resistant



Stain  
Resistant



Water  
Resistant

# INDEX



CLICK TILE  
TO NAVIGATE  
PAGE



ANTIQUÉ  
NATURAL



APRICOT  
CAFE



APRICOT  
COPPER



BARKWOOD  
BROWN



BARKWOOD  
COPPER



BARRIQUE  
NERO



CANARIUM  
WENGE



CHEVON  
WOOD  
CHERRY



CINNAMON  
ENGLISH



CLARA  
CHOCO



CLARA  
MIELE




DECK  
WOOD  
BROWN

# INDEX



CLICK TILE  
TO NAVIGATE  
PAGE

LIVANTO<sup>®</sup>  
TILES



DECK  
WOOD  
CARBON



HARITAGE  
WOOD  
BLACK



HOLYWOOD  
WHITE



LIFE  
TWANY




LUCENT  
BEIGE



LUCENT  
GRIGIO



MORELLA  
ALMOND



MOUNTAIN  
BLACK




REBAR  
WOOD  
WANGE



RUFF  
GRIS



RUFF  
SANDAL



TUPELO  
NOCCIOLA

ANTIQUÉ NATURAL



Finish | Matt


Size | 200 x 1200 mm

ANTIQUÉ NATURAL



CLICK FOR HD VIEW

APRICOT CAFE



Finish | Matt

Size | 200 x 1200 mm

APRICOT COPPER



Finish | Matt

Size | 200 x 1200 mm

APRICOT COPPER



CLICK FOR HD VIEW

## BARKWOOD BROWN



Finish | Matt

Size | 200 x 1200 mm

BARKWOOD BROWN



CLICK FOR HD VIEW

## BARKWOOD COPPER



POST



REEL

Finish | Matt


Size | 200 x 1200 mm

BARKWOOD COPPER



CLICK FOR HD VIEW

## BARRIQUE NERO




Finish | Matt

Size | 200 x 1200 mm



## CANARIUM WENGE



Finish | Matt



Size | 200 x 1200 mm

CANARIUM WENGE



CLICK FOR HD VIEW

## CHEVON WOOD CHERRY



Finish | Matt


Size | 200 x 1200 mm

CHEVON WOOD CHERRY



CLICK FOR HD VIEW

CINNAMON ENGLISH



Finish | Matt

Size | 200 x 1200 mm

CINNAMON ENGLISH



CLICK FOR HD VIEW


CLARA CHOCO



Finish | Matt

Size | 200 x 1200 mm

CLARA CHOCO



CLICK FOR HD VIEW

## CLARA MIELE



Finish | Matt

Size | 200 x 1200 mm

CLARA MIELE



CLICK FOR HD VIEW

DECK WOOD BROWN



Finish | Matt

Size | 200 x 1200 mm

## DECK WOOD CARBON



POST



REEL

Finish | Matt


Size | 200 x 1200 mm

DECK WOOD CARBON



CLICK FOR HD VIEW

## HARITAGE WOOD BLACK



POST



REEL

Finish | Matt

Size | 200 x 1200 mm

HARITAGE WOOD BLACK



CLICK FOR HD VIEW

## HOLLYWOOD WHITE



Finish | Matt


Size | 200 x 1200 mm

HOLLYWOOD WHITE



CLICK FOR HD VIEW

## LIFE TWANY



Finish | Matt



Size | 200 x 1200 mm

LIFE TWANY



CLICK FOR HD VIEW

## LUCENT BEIGE



Finish | Matt

Size | 200 x 1200 mm




LUCENT BEIGE



CLICK FOR HD VIEW

## LUCENT GRIGIO



Finish | Matt


Size | 200 x 1200 mm

LUCENT GRIGIO



CLICK FOR HD VIEW

## MORELLA ALMOND



Finish | Matt

Size | 200 x 1200 mm



POST



REEL









MORELLA ALMOND



CLICK FOR HD VIEW

## MOUNTAIN BLACK



Finish | Matt

Size | 200 x 1200 mm



MOUNTAIN BLACK



CLICK FOR HD VIEW


## REBAR WOOD WANGE



Finish | Matt

Size | 200 x 1200 mm

## RUFF GRIS



Finish | Matt

Size | 200 x 1200 mm

RUFF GRIS



CLICK FOR HD VIEW

## RUFF SANDAL



Finish | Matt


Size | 200 x 1200 mm

RUFF SANDAL



CLICK FOR HD VIEW

TUPELO NOCCIOLA



Finish | Matt

Size | 200 x 1200 mm

TUPELO NOCCIOLA



CLICK FOR HD VIEW

# TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006 / En14411 GROUP Bla	VALUE	TEST METHOD
<b>REGULATORY PROPERTIES</b>			
Deviation in length & width	+0.5%	+0.3%	ISO-10545-2
Deviation in thickness	+0.5%	+4.0%	ISO-10545-2
Straightness in side	+0.5%	+0.1%	ISO-10545-2
Rectangularity	+0.5%	+0.1%	ISO-10545-2
Surface flatness	+0.5%	+0.2%	ISO-10545-2
Color difference	Unlterned	No change	ISO-10545-16
<b>STRUCTURAL PROPERTIES</b>			
Water absorption	< 0.50%	< 0.05%	ISO-10545-3
Apparent density	>= 2.0 g/cc	>= 2.10 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>			
Modulus of repture	Min. 35 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 1800 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>			
Resistance to surface abrasion (PEI RATING)	As per mfg.	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 5	EN 101
<b>THERMO HYGROMRTRIC PROPERTIES</b>			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nill	Nill	ISO-10545-10
Thermal expansion(COE)	Max. 9.0x10 <sup>-6</sup>	Max. 6.5x10 <sup>-6</sup>	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	ISO-10545-11
<b>CHEMICAL PROPERTIES</b>			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Min. Class 3	Class 5	ISO-10545-14
<b>SEFETY PROPERTIES</b>			
Slip resistance	As per mfg.	>=0.40	ISO-10545-17
Fire resistance	As per mfg.	Fireproof	N.A.
Lead & Cafmium given off by glazes tiles	As per mfg.	Does not yield Pb & Cd	ISO-10545-15

## PACKAGING DETAILS

SIZE	200x1200mm
PIECES/BOX	5.pes.
AREA/BOX	1.2sq. mtr.
WEIGHT/BOX	27.5 kgs.

The information contained in this catalogue is as accurate as possible, but cannot be considered as legally binding. The Company reserves the right to make any modification that becomes necessary due to production requirements. Weight, colors and dimensions are subject to the inevitable variation typical of the ceramic firing process. The colors shown are possible to the actual colors, within the limits allowed by the printing process. For technical printing reasons, the colors shown may slightly differ from the actual tiles.

**Lgroup<sup>®</sup>**  
of companies



**LIVANTO**<sup>®</sup>  
TILES

++91 99132 36000 | ++91 99134 36000

8-A, National Highway, Lakhdhirpur Road,  
Opp.Lakhdhirpur Village, Morbi-362 642 (Guj.)  
India  
livantoceramic@gmail.com

[www.livantoceramic.com](http://www.livantoceramic.com)